LOLA LIGHTING

WHAT LOLA WANTS, LOLA GETS

FIORDLYS
(CEILING / WALL)



LOLA LIGHTING


WHAT LOLA WANTS, LOLA GETS

CODE: LL-FRDWM-SLMP

PROJECT

SPEC TYPE

NOTES



E12 | 110-120V | IP20 | STANDARD

GENERAL INFORMATION:

The Fiordlys ceiling/wall light by Lola Lighting is an elegant decorative fixture that combines modern design with refined materials to create a warm, sophisticated glow. Constructed from Opalflex®, Lentiflex®, and Opalflex® with cold foil, it produces unique light reflections while maintaining durability and visual appeal. Operating on 110–120V, it uses two E12 bulbs (max 6W each), offering efficient illumination for residential or commercial interiors.
With dimensions of W: 12.20" × H:12.99" × D: 8.27" , it provides a balanced scale suitable for versatile applications. Rated IP20 and Appliance Class I, Fiordlys is designed for indoor use and is available in Gold, Silver, or White finishes, making it a versatile choice for adding artistic flair and ambient light to any space.

MATERIAL:

Opalflex®, Lentiflex®, Opalflex® with cold foil

VOLTAGE:

110-120V

LIGHTING:

E12

IP RATING:

20

APPLIANCE CLASS:

I

FINISH OPTIONS:

Gold
Silver
White

WWW.LOLALIGHTING.COM

OUTDOOR
TECHNICAL
DECORATIVE

WE WELCOME ALL CUSTOM ORDERS

Contact Us:
sales@gordonbullard.com
www.lolalightingcom
1 877-964-4646

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.
©2024 All Rights Reserved

Updated 04/25/2025

LOLA LIGHTING


WHAT LOLA WANTS, LOLA GETS

CODE: LL-FRDWM-SLMP

PROJECT

SPEC TYPE

NOTES



E12 | 110-120V | IP20 | STANDARD

HOW TO ORDER:

Example:
CODE: LL-FRDWM-SLMP-SLV

LL-FRDWM
-SLMP-SLV

1 DIMENSIONS:

A) Width - W: 12.20" (31 cm)
B) Height - H: 12.99" (33 cm)
C) Depth - P: 8.27" (21 cm)

2 LIGHT SOURCE:

E12 / 2 x 6W / 110-120V

3 FINISH OPTIONS:

-GLD Gold
-SLV Silver
-WHT White

Contact Us:
sales@gordonbullard.com
www.lolalightingcom
1 877-964-4646

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2024 All Rights Reserved

Updated 04/25/2025