LOLA LIGHTING

WHAT LOLA WANTS, LOLA GETS

ODEON C
(CEILING)



LOLA LIGHTING

WHAT LOLA WANTS, LOLA GETS

CODE: LL-ODEC-SLMP

PROJECT

SPEC TYPE

NOTES



E26 | 110-277V | IP20 | STANDARD

GENERAL INFORMATION:

ODEON (CEILING) fixture from Lola Lighting is a decorative ceiling light designed for sophisticated indoor spaces. This product is constructed with a unique material blend of Lentiflex®, Lentiflex® with cold foil and operates on a 110-277V power supply. The fixture has an IP20 rating, suitable for dry, indoor environments. It is available in a "Gold" finish. It comes in two different sizes: a smaller model with a 25.59" diameter and a larger one with a 40.16" diameter, both designed to create a striking visual impact.

MATERIAL:

Lentiflex®, Lentiflex® with cold foil

VOLTAGE:

110-277V

LIGHTING:

E26

IP RATING:

20

APPLIANCE CLASS:

I

FINISH OPTION:

Gold

Contact Us:

sales@gordonbullard.com

www.lolalightingcom

1 877-964-4646

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2024 All Rights Reserved

Updated 08/28/2025

LOLA LIGHTING

WHAT LOLA WANTS, LOLA GETS

CODE: LL-ODEC-SLMP

PROJECT


SPEC TYPE

NOTES

HOW TO ORDER:

Example: CODE: LL-ODEC-SLMP-M	LL-ODEC-SLMP-M

1	MODELS:	




-M

DIMENSIONS:

A) Diameter - Ø: 25.59" (65 cm)
B) Height - H: 12.99" (33 cm)

LIGHT SOURCE:

12 x12W / E26 / 110-277V



-L

DIMENSIONS:

A) Diameter - Ø: 40.16" (102 cm)
B) Height - H: 16.54" (42 cm)

LIGHT SOURCE:

6 x 12W / E26 / 110-277V

E26 | 110-277V | IP20 | STANDARD

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2024 All Rights Reserved

Updated 08/28/2025