BULLARD OUTDOOR
BUILT for the STORM

ARGUS
Surface Mounted Wall Luminaires
Spotlight



BULLARD OUTDOOR
BUILT for the STORM

CODE: BO-AGS-KPG-SMW

FIXTURE TYPE: _____

PROJECT NAME: _____



The Argus Surface Mounted Wall Luminaire - Spotlight is a durable and versatile outdoor lighting fixture designed for architectural and landscape illumination. Constructed from 12# die-cast aluminum with a tempered glass lens (T=4mm), it ensures superior heat dissipation, corrosion resistance, and long-lasting performance. With an IP65 and IK06 rating, the Argus is built to withstand harsh environmental conditions while maintaining consistent light output. Operating on a 110–277V LED system with a CRI of 80, it delivers clear and efficient lighting ideal for façades, pathways, and feature accents. Available in multiple finishes — Sanded Bronze, Sanded Dark Gray, Sanded Black, and Sanded White

FIXTURE TYPE:

Surface Mounted Wall Luminaires - Spotlight

LIGHTING

LED

VOLTAGE:

110-277V

MATERIAL:

12# Die-casting aluminum finishing

LENS:

Tempered Glass.T=4mm

CRI:

80

IP RATING:

IP 65

IK RATING:

IK 06

FINISHING:

Sanded Bronze
Sanded Dark Gray
Sanded Black
Sanded White

sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646

991 South Gull Lake Dr
Richland, MI 49083
USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.
© Bullard & Company 2026 All Rights Reserved

Updated 10/15/2025


BULLARD OUTDOOR
BUILT for the STORM

CODE: BO-AGS-KPG-SMW


FIXTURE TYPE: _____

PROJECT NAME: _____


-B7TMD0158




-B7TND0126



-B7TOD0128



-B7TPD0171



HOW TO ORDER: | **CODE:**

Example:
CODE: BO-AGS-KPG-SMW-XXX-XXX-XXX-XXX-XXX-XX

BO-AGS-KPG-SMW-B7TMD0158-B33-9-K30-DIM-KAP7008-RD003-CA3009-Mh024

1 **MODELS:**

CODE -B7TMD0158

DIMENSIONS:
Diameter - Ø: 1.65" (4.2 cm)
Height - H: 3.77" (9.6 cm)
Depth - P: 4.9" (12.45 cm)

LIGHT SOURCE:
LED / 1 x 3W / 170 mA / 305 lm / 110-277V

CODE -B7TND0126

DIMENSIONS:
Diameter - Ø: 2.16" (5.5 cm)
Height - H: 4.72" (12 cm)
Depth - P: 5.47" (13.9 cm)

LIGHT SOURCE:
LED / 1 x 6W / 325 mA / 740 lm / 110-277V

CODE -B7TOD0128

DIMENSIONS:
Diameter - Ø: 2.48" (6.3 cm)
Height - H: 5.47" (13.9 cm)
Depth - P: 5.82" (14.8 cm)

LIGHT SOURCE:
LED / 1 x 10W / 480 mA / 1200 lm / 110-277V

CODE -B7TPD0171

DIMENSIONS:
Diameter - Ø: 3.54" (9 cm)
Height - H: 6.45" (16.4 cm)
Depth - P: 7.7" (19.6 cm)

LIGHT SOURCE:
LED / 1 x 20W / 958 mA / 2200 lm / 110-277V

sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646

991 South Gull Lake Dr
Richland, MI 49083
USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

© Bullard & Company 2026 All Rights Reserved

Updated 10/15/2025

BULLARD OUTDOOR
BUILT for the STORM

CODE: BO-AGS-KPG-SMW

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



LED | 110-277V | IP65 | DALI

HOW TO ORDER:

CODE:

Example:
CODE: BO-AGS-KPG-SMW-XXX-XXX-XXX-XXX-XXX-XX

BO-AGS-KPG-SMW-B7TMD0158-B33-9-K30-DIM-KAP7008-RD003-CA3009-Mh024

2 BEAM ANGLE:

available only for -B7TMD0158 model

-B33-9	9°
-B33-15	15°
-B33-20	20°
-B33-45	45°
-B33-60	60°
-B73-30	30°

available only for -B7TND0126 model

-B51-20	20°
-B51-28	28°
-B51-36	36°
-B51-60	60°

available only for -B7TOD0128 model

-B52-20	20°
-B52-24	24°
-B52-36	36°
-B52-60	60°

available only for -B7TPD0171 model

-B66-15	15°
-B66-20	20°
-B66-25	25°
-B66-38	38°
-B66-55	55°

3 CCT OPTIONS:

-K30	3000K
-CUS	Custom on request*

4 DIMMING OPTIONS:

-DIM	1-10V
-PWM	Pulse Width Modulation
-DALI	DALI (Digital Addressable Lighting Interface)

5 FINISH OPTIONS:

-KAP7008	Sanded Bronze
-KAP7037	Sanded Dark Gray
-RAL 9005	Sanded Black
-RAL9003	Sanded White

sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646

991 South Gull Lake Dr
Richland, MI 49083
USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

© Bullard & Company 2026 All Rights Reserved

Updated 10/15/2025

BULLARD OUTDOOR
BUILT for the STORM

CODE: BO-AGS-KPG-SMW

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



LED | 110-277V | IP65 | DALI

HOW TO ORDER:

CODE:

Example:
CODE: BO-AGS-KPG-SMW-XXX-XXX-XXX-XXX-XXX-XX

BO-AGS-KPG-SMW-B7TMD0158-B33-9-K30-DIM-KAP7008-RD003-CA3009-Mh024

6 ACCESSORIES:

TREE POLE STRAP

-RD003 -B7TMD0158 -B7TND0126 -B7TOD0128



-RD002 -B7TPD0171



BEVEL CUT HOOD



-CA3009 -B7TMD0158
-CA3010 -B7TND0126
-CA3011 -B7TOD0128
-CA3013 -B7TPD0171




HONEYCOMB LOUVER

-Mh024 -B7TMD0158
-Mh025 -B7TND0126
-Mh026 -B7TOD0128
-Mh027 -B7TPD0171



7 DIAGRAM OF INSTRUCTION:



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646

991 South Gull Lake Dr
Richland, MI 49083
USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

© Bullard & Company 2026 All Rights Reserved

Updated 10/15/2025

BULLARD OUTDOOR
BUILT for the STORM

CODE: BO-AGS-KPG-SMW

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



LED | 110-277V | IP65 | DALI


HOW TO ORDER:

CODE:

Example:
CODE: BO-AGS-KPG-SMW-XXX-XXX-XXX-XXX-XXX-XX

BO-AGS-KPG-SMW-B7TMD0158-B33-9-K30-DIM-KAP7008-RD003-CA3009-Mh024

8 PHOTOMETRIC INFO:



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646

991 South Gull Lake Dr
Richland, MI 49083
USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

© Bullard & Company 2026 All Rights Reserved

Updated 10/15/2025