BYIBA
LIGHT



LAS FLORES
beam down
(acoustic lighting)

BB-LSFL-AC

BYIBA
LIGHT

BY-LSFL-AC

PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

Las Flores – Beam Down by BYIBA is a suspended acoustic luminaire designed for high-quality lighting and noise reduction. It features a durable aluminum housing with a 0.47-inch polyester fiber acoustic panel in 30 colors. LED options range from 15-50W with CCT choices of 3000K, 3500K, and 4000K, offering CRI 80/90. Available in various sizes, it supports multiple dimming options (0-10V, DALI, Lutron, Casambi, Wi-Fi). Operating at -4°F to 104°F and compatible with 110-277V systems, it enhances lighting and acoustic comfort.

MATERIAL:

Aluminum body + Polyster fiber (0.47")

FINISHING:

30 acoustic felt colors

BODY FINISHING:

Matt White / Matt Black / Custom on request*

LIGHTING:

LED

VOLTAGE:

110-277V

IP RATING:

20

OPERATING TEMPERATURE RANGE:

-4°F to 104°F

CANOPY:

Ø: 5" (12.7 cm) x H: 5" (12.7 cm)

LED · 110-277V · CASAMBI · LUTRON · DAMP LOCATION

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE

WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.
©2024 All Rights Reserved

Updated 04/24/2024


BYIBA LIGHT


BY-LSFL-AC

PROJECT

SPEC TYPE

NOTES





HOW TO ORDER:

Example:
CODE: BY-LSFL-AC-PSD-K30-80-MB-DALI-AC-004123

CODE:

BY-LSFL-AC-PSD-K30-80-MB-DALI-AC-004123

1 MODELS:

-PSD (beam down)

DIMENSIONS:

A) Diameter - Ø: 23.6" (60 cm)
B) Height - H: 5.2" (13.2 cm)

LIGHT SOURCE:

LED / 40W / 2800 lm (direct) / 110-277V

-PMD (beam down)

DIMENSIONS:

A) Diameter - Ø: 35.4" (90 cm)
B) Height - H: 7.6" (19.2 cm)

LIGHT SOURCE:

LED / 50W / 3500 lm (direct) / 110-277V

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE

WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.
©2024 All Rights Reserved

Updated 04/24/2024


BYIBA LIGHT


BY-LSFL-AC

PROJECT

SPEC TYPE

NOTES





HOW TO ORDER:

Example:
CODE: BY-LSFL-AC-PSD-K30-80-MB-DALI-AC-004123

CODE:

BY-LSFL-AC-PSD-K30-80-MB-DALI-AC-004123

1 MODELS:

-PLD (beam down)

DIMENSIONS:

A) Diameter - Ø: 47.2" (120 cm)
B) Height - H: 9.8" (24.7 cm)

LIGHT SOURCE:

LED / 80W / 5600 lm (direct) / 110-277V

-PXLD (beam down)

DIMENSIONS:

A) Diameter - Ø: 59.1" (150 mm)
B) Height - H: 11.9" (30.3 cm)

LIGHT SOURCE:

LED / 100W / 7000 lm (direct) / 110-277V

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE

WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.
©2024 All Rights Reserved

Updated 04/24/2024

BYIBA LIGHT

BY-LSFL-AC

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:
CODE: BY-LSFL-AC-PSD-K30-80-MB-DALI-AC-004123

CODE:

BY-LSFL-AC-PSD-K30-80-MB-DALI-AC-004123

2 SPECIFY CCT:

-K30	3000K
-K35	3500K
-K40	4000K

3 CRI:

-80	CRI 80
-90	CRI 90

4 BODY FINISH OPTIONS:

-MW	Matt White
-MB	Matt Black
-RAL	Custom on request*

5 DIMMING OPTIONS:

-DIM	0-10V
-DALI	DALI
-LT	Lutron
-CS	Casambi
-WF	WI-FI
-NON	Non-Dimmable

6 ACOUSTIC FINISH OPTIONS:

-AC-001141	-AC-012133	-AC-028110
-AC-002122	-AC-013111	-AC-033103
-AC-003120	-AC-014144	-AC-034102
-AC-004123	-AC-016104	-AC-035101
-AC-005107	-AC-017147	-AC-036105
-AC-006106	-AC-019126	-AC-038127
-AC-007145	-AC-020128	-AC-040124
-AC-008129	-AC-021130	-AC-043115
-AC-009140	-AC-024117	-AC-044114
-AC-011135	-AC-025138	-AC-039143
-AC-055142	-AC-056131	-AC-018125
-AC-057132	-AC-042146	-AC-022119
-AC-031108		

LED · 110-277V · CASAMBI · LUTRON · DAMP LOCATION

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE

ETL LISTED C US

WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.
©2024 All Rights Reserved

Updated 04/24/2024

BYIBA LIGHT

BY-LSFL-AC

PROJECT

SPEC TYPE

NOTES



LED | 110-277V | CASAMBI | LUTRON | DAMP LOCATION

HOW TO ORDER:

Example:
CODE: BY-LSFL-AC-PSD-K30-80-MB-DALI-AC-004123

CODE:

BY-LSFL-AC-PSD-K30-80-MB-DALI-AC-004123


6 ACOUSTIC FINISH OPTIONS:

Acoustic wood texture


-AC-0450005	-AC-0490068
-AC-0460008	-AC-0501237
-AC-0470016	-AC-0511250
-AC-0481249	-AC-0521255
-AC-0539069	-AC-0549033

7 PHOTOMETRIC:

LIGHT DISTRIBUTION:



OPTICAL SYSTEM:



Height	Center lx	Diameter
1.m	3254.54 lx	338.18cm
2.m	813.64 lx	676.36cm
3.m	361.62 lx	1014.54cm
4.m	203.41 lx	1352.73cm
5.m	130.18 lx	1690.91cm
6.m	90.40 lx	2029.09cm
7.m	66.42 lx	2367.27cm
8.m	50.85 lx	2705.45cm
9.m	40.18 lx	3043.63cm
10.m	32.55 lx	3381.82cm
11.m	26.90 lx	3720.00cm
12.m	22.60 lx	4058.18cm
13.m	19.26 lx	4396.36cm
14.m	16.60 lx	4734.54cm
15.m	14.46 lx	5072.72cm
16.m	12.71 lx	5410.91cm

CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.
©2024 All Rights Reserved

Updated 04/24/2024