
BYIBA
LIGHT



TOSCA
(pathmarkers)

BY-4205E-PL

BYIBA LIGHT

BY-4205E-PL

PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

The TOSCA is a refined recessed step light designed to integrate seamlessly into contemporary interiors. Crafted from CRISTALY®—a durable, paintable material—it allows for full customization to match any wall finish. Its patented magnetic system ensures quick and secure installation. Operating on 110–277V for versatile use, the fixture emits soft, indirect LED light available in 2700K, 3000K, or 4000K color temperatures. Handmade in Italy, the TOSCA combines minimalist design with functional performance, making it ideal for residential, hospitality, and commercial spaces

MATERIAL:

CRISTALY®

FINISHING:

White / Paintable

LIGHTING:

LED

INPUT VOLTAGE:

110-277V

IP RATING:

20

DRIVER POSITION:

Remote

APPLIANCE CLASS:

III

CRI:

CRI 85

LED | 110-277V | III | STANDARD | IP20 | CASAMBI | LUTRON

WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE

WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.
©2024 All Rights Reserved

Updated 03/14/2025


BYIBA LIGHT

BY-4205E-PL

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

Example:
CODE: BY-4205E-PL-K27-DIM

CODE:

BY-4205E-PL-K27-DIM

1 DIMENSIONS:

A) Length - L: 3.15″ (8 cm)
B) Height - H: 6.30″ (14 cm)
C) Depth - P: 0.98″ (2.5 cm)

2 LIGHT SOURCE:

LED / 1,1W / 110-277V

3 CCT & LUMENS:

-K27	2700K = 95 lm
-K30	3000K = 100 lm
-K40	4000K = 106 lm

4 DIMMING OPTIONS:

-DIM	0-10V
-DALI	DALI
-LT	Lutron
-CS	Casambi
-WF	WI-FI
-NON	Non-Dimmable

5 WEIGHT:

0.88 lb



WWW.BULLARDCOLLECTION.COM

TECHNICAL

OUTDOOR

DECORATIVE

WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com
www.byiba.com
1 877-964-4646

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.
©2024 All Rights Reserved

Updated 03/14/2025